

PEATMOSS

White Peatmoss

High quality white Germany
peatmoss



Description :-

- White peatmoss of high quality. It is suitable for all types of seeds, seedlings and plants. It is used in the cultivation and service of green spaces after mixing it with sand or perlite. The organic matter is high up to 95%, which works to increase the rate of cation exchange in the soil. It can be mixed with sand, vermiculite or perlite to improve drainage and aeration in the soil.

Technical specifications certificate for peatmoss



Technical Data Sheet for Peat Moss

Product name: Stender White Peat Premium

Specification / Composition:

100 % White Peat

pH: approx. 3,5 – 4,5 (in CaCl₂)

Fraction:

- 0-10 mm

Packing Sizes:

- 250 L

- 300 L

Origin: Latvia

Stender AG
Alte Poststr. 121
D-46514 Schermbeck
Germany
Tel.: +49 (0) 28 63 9 69 60
Fax: +49 (0) 28 63 9 69 62

SDS Certificate



MATERIAL SAFETY DATA SHEET for Premium Peat Moss 0-10 mm

- | | |
|--|--|
| 1. Identification | HS-Code 2703 0000 |
| 1.1 Product name | Peat Moss in 300 l bales |
| 1.2 Supplier | Stender GmbH
Alte Poststrasse 121, 46514 Schermbeck, Germany
Tel. +49 2853 96960, Email: info@stender.de |
| 2. Composition and information on Ingredients | |
| 2.1 Main raw material | Sphagnum Peat Moss |
| 2.2 Composition | White Peat |
| 3. Possible Hazard | |
| 3.1 Hazard designation | not applicable |
| 3.2 Special hazard for humans | not applicable |
| 4. First-Aid Measures | |
| 4.1 Skin contact | not applicable |
| 4.2 Eye contact | dust particles may cause slight eye irritation |
| 4.3 Ingestion and Inhalation | not applicable |
| 5. Fire-Fighting Measure | |
| 5.1 Suitable extinguishing media | Peat Moss in case of fire is extinguished by water |
| 5.2 Protective clothing | standard fire protection |
| 5.3 Environmental precautions | not known |
| 6. Handling and storage | |
| 6.1 Handling | note the product information |
| 6.2 Storage | storage recommended in cool and dry place |
| 7. Physical and Chemical Properties | |
| 7.1 Physical state | fixed loose structure |
| 7.2 Color | brown-black |
| 7.3 Smell | natural small, mild |
| 7.4 Explosive components | not defined |
| 7.5 pH (in CaCl ₂) | from 3-4 (depending on the extraction) |
| 7.6 Stability in water | stable |
| 8. Personal Protection | not needed |
| 9. Stability and Reactivity | not known |
| 10. Toxicological Information | not known |
| 11. Ecological Information | not needed |

Schermbeck, 17.03.2021

Stender GmbH

Alte Poststraße 121

D-46514 Schermbeck

Germany

Tel. +49 2853 96960

Fax +49 2853 969-62



Packing size



Composition :-

Organic matter	Cl	PH	Humidity	EC	Salts
%	Mg/l	PH	%	μS/cm	g/l
95.1	10>	2.9	60.8	0.58	0.10>

Packing :-

Peatmoss is available in 250 , 300 L